

LIST
OF
BRITISH TINEINA,
FOR
LABELLING CABINETS,
PRINTED ON *WHITE* OR *BLUE* PAPER.

BY
H. T. STAINTON.

Similar Lists, printed on both sides for Interchange among Collectors,
may also be had. Price 2s. per dozen.

LONDON:
PRINTED FOR THE AUTHOR, BY E. NEWMAN,
AND SOLD BY
JOHN VAN VOORST, 1, PATERNOSTER ROW.
1854.
(Price 6d. each).

PREPARING FOR PUBLICATION.

THE NATURAL HISTORY OF THE TINEINA,

Which will contain magnified coloured figures of the transformations of each species, with copious letter-press in four languages—English, French, German, and Latin.

It is proposed to publish this work in a series of 8vo. volumes, each volume containing the full Natural History of twenty-four allied species.

The order of appearance of different genera will naturally depend on the progress made in investigating the transformations of the species comprised in it.

The plates will be by Mr. W. Wing, and those illustrating Mr. Douglas' 'Contributions to the Natural History of British Micro-Lepidoptera,' published recently in the 'Transactions of the Entomological Society of London,' may be referred to as specimens.

The price of the volumes will be made as low as possible, and little more than the expense of colouring the plates.

But as even this moderate sum might put the work beyond the reach of many a hard-working collector, the Editor proposes to *present a copy of the entire series* to every one who shall first discover and communicate to him *the transformations of twenty species of Tineina*, with which the Editor was previously unacquainted.

The volume will be published under the superintendence of a Committee, consisting of —

Mr. J. W. Douglas, 6, Kingswood Place, Lee ;
Mr. H. T. Stainton, Mountsfield, Lewisham ; and
Mr. W. Wing, 17, Priory Road, South Lambeth.

All communications to be addressed to the Editor, Mr. H. T. Stainton, Mountsfield, Lewisham.

Any person wishing to subscribe to the first ten volumes, at 7s. 6d. each volume, is requested to forward his name to some member of the Committee.

It is proposed to publish one or two volumes annually ; the first volume before the close of the present year (1854).

CATALOGUE OF BRITISH TINEINA.

I. EXAPATIDÆ, Sta.

I. EXAPATE, Hüb.

1. gelatella, Lin.

II. DASYSYOMA, Curt.

1. Salicella, Hüb.

III. CHIMABACCHE, Zell.

1. Phryganella, Hüb
2. Fagella, W.V.

II. TINEIDÆ, Sta.

I. TALÆPORIA, Zell.

1. pubicornis, Haw.
2. pseudo-bombycella, Hüb.

II. SOLENOBIA, Zell.

1. inconspicuella, Sta.
2. Douglasii, Sta.

III. DIPLODOMA, Zell.

1. marginepunctella, Step.

IV. XYSMATODOMA, Zell.

1. melanella, Haw.

V. OCHSENHEIMERIA, Hüb.

1. Birdella, Curt.
2. Bisontella, Lienig.
3. Vacculella, F-v-R.

VI. EUPLOCAMUS, Lat.

1. Boleti, Fab.

VII. TINEA, Zell.

1. imella, Hüb.
2. ferruginella, Hüb.
3. rusticella, Hüb.
4. monachella, Hüb.
5. fulvimitrella, Sod.
6. tapetzella, Lin.
tapetiella, Zell.
7. arcella, Fab.
8. picarella, Cl.

9. arcuatella, Sta.

10. corticella, Curt.

11. parasitella, Hüb.

12. Granella, Lin.

13. cloacella, Haw.

14. ruricolella, Sta.

15. Cochylidella, Sta.

16. albipunctella, Haw.

17. Caprimulgella, V. Heyd.

18. misella, Zell.

19. fuscipunctella, Haw.

20. pellionella, Lin.

21. pallescentella, Sta.

22. flavescentella, Haw.

23. Lapella, Hüb.

Lappella, Haw.

24. biselliella, Hümmel.

25. simplicella, H-S.

26. nigripunctella, Haw.

27. semifulvella, Haw.

28. bistrigella, Haw.

29. subammannella, Sta.

30. argentimaculella, Sta.

31. ochraceella, Tengstr.

VIII. LAMPRONIA, Zell.

1. quadripunctella, Fab.

2. Luzella, Hüb.

3. prælatella, W. V.

4. Rubiella, Bjerk.

IX. LAMPROSETIA, Sta.

1. Verhuellella, V. Heyd.

X. INCURVARIA, Haw.

1. muscalella, Fab.

masculella, Hüb.

2. pectinea, Haw.

3. tenuicornis, Sta.

4. Oehlmanniella, Hüb.

5. capitella, Lin.

XI. MICROPTERYX, Zell.

1. Calthella, Lin.

2. Aruncella, Scop.

3. Seppella, Fab.

4. Mansuetella, Zell.

5. Allionella, Fab.

6. Tunbergella, Fab.

Thunbergella, Gmel.

7. purpurella, Haw.

8. Salopiella, Sta.

9. semipurpurella, Step.

10. unimaculella, Zett.

11. Sparmannella, Bosc.

12. subpurpurella, Haw.

XII. NEMOPHORA, Hüb.

1. Swammerdammella, Lin.

2. Schwarzziella, Zell.

3. Carteri, Sta.

4. pilella, W. V.

5. Metaxella, Hüb.

XIII. ADELA, Lat.

1. Fibulella, W. V.

2. rufimitrella, Scop.

3. Sulzella, W. V.

Sulzeriella, Zell.

4. Degeerella, Lin.

5. viridella, Scop.

6. cuprella, Fab.

XIV. NEMOTOIS, Zell.

1. Scabiosellus, Scop.

2. cupriacellus, Hüb.

3. fasciellus, Fab.

4. minimellus, Mann.

III. HYPONOMEUTIDÆ, Sta.

I. SWAMMERDAMIA, Sta.

1. apicella, Don.

2. cæsiella, Hüb.

3. griseo-capitella, Sta.

4. lutarea, Haw.

5. Pyrella, Vill.

II. SCYTHROPIA, Sta.

1. Cratægella, Lin.



Digitized by the Internet Archive
in 2019 with funding from
University of Toronto

- III. HYPONOMEUTA, Zell.
1. vigintipunctatus, Retz.
 2. plumbellus, W. V.
 3. irrorellus, Hüb.
 4. Padellus, Lin.
 5. Evonymellus, Scop.
 6. Padi, Zell.
- IV. ANESYCHIA, Step.
1. pusiella, Roemer
 2. bipunctella, Fab.
 3. funerella, Fab.
 4. decemguttella, Hüb.
- V. CHALYBE, Dup.
1. pyrausta, Pallas.
- VI. PRAYS, Sta.
1. Curtisellus, Don,
- IV. PLUTELLIDÆ, Sta.
- I. EIDOPHASIA, Step.
1. Messingiella, F.v.R.
- II. PLUTELLA, Schr.
1. Cruciferarum, Zell.
 2. porrectella, Lin.
 3. annulatella, Curt.
 4. Dalella, Sta.
- III. CEROSTOMA, Lat.
1. sequella, Cl.
 2. vittella, Lin.
 3. radiatella, Don.
 4. costella, Fab.
 5. sylvella, Lin.
 6. alpella, W. V.
 7. lucella, Fab.
 8. horridella, Treit.
 9. scabrella, Lin.
 10. asperella, Lin.
 11. nemorella, Lin.
 12. Xylostella, Lin.
- IV. THERISTIS, Sta.
1. caudella, Lin.
- V. GELECHIDÆ, Sta
- I. ORTHOTÆLIA, Step.
1. Sparganella, Wenner
- II. SEMIOSCOPIS, Hüb.
1. Avellanella, Hüb.
 2. Steinkellneriana, W. V.
- III. ENICOSTOMA, Step.
1. lobella, W. V.
- IV. PHIBALOCERA, Step.
1. Quercana, Fab.
- V. EXÆRETIA, Sta.
1. Allisella, Sta.
- VI. DEPRESSARIA, Haw.
1. costosa, Haw.
 2. liturella, W. V.
 3. pallorella, Zell.
 4. Umbellana, Step.
 5. assimilella, Treit.
 6. nanatella, Sta.
 7. atomella, W. V.
 8. arenella, W. V.
 9. propinquella, Treit.
 10. subpropinquella, Sta.
 11. Alstroemeriana, Cl.
 12. Ciniflonella, Lienig.
 13. purpurea, Haw.
 14. Capreolella, Zell.
 15. Hypericella, Hüb.
 16. conterminella, Zell.
 17. Angelicella, Hüb.
 18. Carduella, Hüb.
 19. ocellana, Fab.
 20. Yeatiana, Fab.
 21. applana, Fab.
 22. ciliella, Sta.
 23. granulosella, Sta.
 24. rotundella, Dougl.
 25. depressella, Hüb.
 26. Pimpinellæ, Zell.
 27. albipunctella, Hüb.
 28. emeritella, V. Heyd.
 29. pulcherrimella, Sta.
 30. Douglasella, Sta.
 31. Weirella, Sta.
 32. Chærophylli, Zell.
 33. ultimella, Sta.
 34. nervosa, Haw.
 35. badiella, Hüb.
 36. Pastinacella, Dup.
 37. Heracliana; De Geer.
- VII. PSORICOPTERA, Sta.
1. gibbosella, Zell.
- VIII. GELECHIA, Zell.
1. cinerella, Lin.
 2. rufescens, Haw.
 3. inornatella, Dougl.
 4. gerronella, Zell.
 5. vilella, Zell.
 6. basalis, Dougl.
7. Malvella, Hüb.
 8. Populella, Lin.
 9. nigra, Haw.
 10. temerella, Lienig.
 11. lentiginosella, Tischer.
 12. velocella, Tischer.
 13. fumatella, Dougl.
 14. ericetella, Hüb.
 15. mulinella, Tischer.
 16. divisella, Dougl.
 17. palustrella, Dougl.
 18. sororculella, Hüb.
 19. cuneatella, Zell.
 20. peliella, Tisch.
 21. alacella, Zell.
 22. longicornis, Curt.
 23. diffinis, Haw.
 24. terrella, W. V.
 25. desertella, Edl.
 26. politella, Dougl.
 27. acuminatella, Sircom.
 28. Artemisiella, Tischer.
 29. senectella, F.v.R.
 30. mundella, Dougl.
 31. similis, Dougl.
 32. affinis, Haw.
 33. boreella, Dougl.
 34. Galbanella, F.v.R.
 35. basaltinella, Zell.
 36. domestica, Haw.
 37. rhombella, Hüb.
 38. proximella, Hüb.
 39. notatella, Hüb.
 40. humeralis, Zell.
 41. vulgella, Hüb.
 42. luculella, Hüb.
 43. scriptella, Hüb.
 44. fugitivella, Zell.
 45. Æthiops, West.
 46. solutella, F.v.R.
 47. distinctella, Zell.
 48. celerella, Dougl.
 49. costella, Step.
 50. maculea, Haw.
 51. tricolorella, Haw.
 52. fraternella, Dougl.
 53. maculiferella, Mann.
 54. junctella, Dougl.
 55. vicinella, Dougl.
 56. Hübneri, Haw.
 57. marmorea, Haw.
 58. instabilella, Dougl.
 59. Atriplicella, F.v.R.
 60. obsoletella, F.v.R.
 61. littorella, Dougl.
 62. sequax, Haw.
 63. aleella, Fab.
 64. leucatella, Lin.
 65. albiceps, Zell.
 66. nanella, Hüb.
 67. Mouffetella, W. V.

68. dodecella, Lin.
 69. triparella, Zell.
 70. tenebrella, Hüb.
 71. tenebrosella, F.v.R.
 72. ligulella, Zell.
 73. vorticella, Zell.
 74. tæniollella, Treit.
 75. Sircomella, Sta.
 76. immaculatella, Dougl.
 77. nigritella, Zell.
 78. Coronillella, Tischer.
 79. Anthyllidella, Hüb.
 80. atrella, Haw.
 81. bifractella, Mann.
 82. suffusella, Dougl.
 83. lucidella, Step.
 84. lutulentella, Zell.
 85. cerealella, Oliv.
 86. nigricostella, F.v.R.
 87. gemmella, Lin.
 88. næviferella, Zell.
 89. Hermannella, Fab.
 90. pictella, Zell.
 91. Brizella, Tischer.
 92. ericinella, Dup.
 93. paupella, Zell.
 94. inopella, Zell.
 95. subocellea, Step.
- IX. PARASIA, Dup.
 1. Lappella, Lin.
 2. Metzneriella, Dougl.
 3. Carlinella, Dougl.
 4. neuropterella, F.v.R.
- X. CLEODORA, Sta.
 1. Cytisella, Curt.
- XI. CHELARIA, Haw.
 1. Hübnerella, Don.
- XII. ANARSIA, Zell.
 1. Spartiella, Schr.
 2. Genistæ, Sta.
- XIII. YPSOLOPHUS, Sta.
 1. fasciellus, Hüb.
 2. marginellus, Fab.
- XIV. APLOTA, Step.
 1. palpella, Haw.
- XV. NOTHRIS, Sta.
 1. Verbascella, W. V.
 2. Durdhamella, Sta.
- XVI. SOPHRONIA, Sta.
 1. parenthesella, Lin.
 2. humerella, Hüb.
- XVII. PLEUROTA, Sta.
 1. bicostella, Lin.
- XVIII. HARPELLA, Schr.
 1. Geoffrella, Lin.
- XIX. HYPERCALLIA, Step.
 1. Christiernana, Lin.
- XX. DASYCERA, Sta.
 1. sulphurella, Fab.
 2. Oliviella, Fab.
- XXI. ŒCOPHORA, Sta.
 1. minutella, Lin.
 2. flavimaculella, Sta.
 3. tripuncta, Haw.
 4. similella, Hüb.
 5. augustella, Hüb.
 6. Woodiella, Curt.
 7. grandis, Desv.
 8. formosella, W. V.
 9. lunaris, Haw.
 10. Lambdella, Don.
 11. subaquilea, Edl.
 12. Panzerella, Step.
 13. tinctella, Treit.
 14. unitella, Hüb.
 15. flavifrontella, Hüb.
 16. fuscescens, Haw.
 17. pseudo-spretella, Sta.
- XXII. ŒGOCONIA, Guen.
 1. quadripuncta, Haw.
- XXIII. ENDROSIS, Sta.
 1. fenestrella, Scop.
- XXIV. BUTALIS, Treit.
 1. grandipennis, Haw.
 2. fusco-ænea, Haw.
 3. senescens, Sta.
 4. fusco-cuprea, Haw.
 5. Cicadella, Zell.
 6. variella, Step.
 7. Chenopodiella, Hüb.
 8. torquatella, Lienig.
 9. incongruella, Sta.
- XXV. PANCALIA, Sta.
 1. Latreillella, Curt.
 2. Leuwenhoekella, Lin.
- VI. GLYPHIPTERYGIDÆ, Sta.
 I. ACROLEPIA, Curt.
 1. perlepidella, Sta.
 2. granitella, Treit.
 3. pygmæana, Haw.
 4. betuletella, Curt.
- II. ROSLERSTAMMIA, Sta.
 1. Erxlebella, Fab.
- III. GLYPHIPTERYX, Sta.
 1. fuscoviridella, Haw.
 2. Thrasonella, Scop.
 3. Haworthana, Step.
 4. equitella, Scop.
 5. oculatella, Zell.
 6. Fischeriella, Zell.
- IV. ÆCHMIA, Sta.
 1. dentella, Zell.
- V. PERITTIA, Sta.
 1. obscurepunctella, Sta.
- VI. TINAGMA, Dup.
 1. sericiellum, Haw.
 2. Stanneellum, F. v. R.
 3. resplendellum, Dougl.
- VII. DOUGLASIA, Sta.
 1. Ocnerostomella, Sta.
- VII. ARGYRESTHIDÆ, Sta.
 I. ARGYRESTHIA, Sta.
 1. ephippella, Fab.
 2. nitidella, Fab.
 3. purpurascens, Sta.
 4. semitestacella, Curt.
 5. spiniella, Zell.
 6. albistria, Haw.
 7. conjugella, Zell.
 8. semifusca, Haw.
 9. mendica, Haw.
 10. glaucinella, Zell.
 11. retinella, Zell.
 12. abdominalis, Zell.
 13. dilectella, Zell.
 14. Andereggiella, Dup.
 15. curvella, Lin.
 16. Sorbiella, Treit.
 17. pygmæella, Hüb.
 18. Gædartella, Lin.
 19. literella, Haw.
 20. Brockeella, Hüb.
 21. arceuthina, Zell.
 22. præcocella, Zell.
 23. aurentella, Zell.
 24. decimella, Sta.

- II. CEDESTIS, Sta.
 1. farinatella, Dup.
 2. Gysselinella, Dup.
 Gysseleniella, F. v. R.
- III. OCNEROSTOMA, Zell.
 1. piniariella, Zell.
- IV. ZELLERIA, Sta.
 1. hepariella, Mann.
 2. insignipennella, Sta.
 3. fasciapennella, Logan.
- VIII. GRACILARIIDÆ, Sta.
- I. GRACILARIA, Zell.
 1. Swederella, Schalen.
 2. stigmatella, Fab.
 3. stramineella, Sta.
 4. hemidactylella, Hüb.
 5. falconipennella, Hüb.
 6. semifascia, Haw.
 7. populetorum, Zell.
 8. elongella, Lin.
 9. tringipennella, Zell.
 10. Syringella, Fab.
 11. omissella, Dougl.
 12. phasianipennella, Hüb.
 13. auroguttella, Step.
 14. quadruplella, Zell.
 15. Ononidis, Zell.
 16. imperialella, Mann.
- II. CORISCIMUM, Zell.
 1. Brongniardellum, Fab.
 2. cuculipennellum, Hüb.
 3. sulphurellum, Haw.
- III. ORNIX, Zell.
 1. Avellanella, Sta.
 2. Devoniella, Sta.
 3. Anglicella, Sta.
 4. Betulæ, Sta.
 5. scutulatella, Sta.
 6. torquillella, Zell.
 7. Scoticella, Sta.
 8. Loganella, Sta.
 9. guttea, Haw.
- IX. COLEOPHORIDÆ, Sta.
- I. COLEOPHORA, Zell.
 1. Fabriciella, Vill.
 2. deauratella, Lienig.
 3. alcyonipennella, Kollar.
 4. Frischella, Lin.
 5. paripennella, F. v. R.
 6. Wockeella, Zell.
 7. ochrea, Haw.
8. binotapennella, F. v. R.
 9. Lixella, Zell.
 10. vibicella, Hüb.
 11. conspicuella, Mann.
 12. pyrrbulipennella, Tisch.
 13. albicosta, Haw.
 14. Vulnerariæ, Zell.
 15. anatipennella, Hüb.
 16. palliatella, Zinck. g. S.
 17. currucipennella, F. v. R.
 18. niveicostella, F. v. R.
 19. discordella, Zell.
 20. saturatella, Sta.
 21. Onosmella, Brahm.
 22. therinella, Zell.
 23. troglodytella, Zell.
 24. lineolea, Haw.
 25. murinipennella, F. v. R.
 26. cæspititiella, Zell.
 27. annulatella, Nylander.
 28. argentula, Zell.
 29. hemerobiella, Scop.
 30. juncicolella, Sta.
 31. Laricella, Hüb.
 32. albitarsella, Zell.
 33. nigricella, Step.
 34. fuscadinella, Zell.
 35. orbitella, Zell.
 36. gryphipennella, Bouché.
 37. viminetella, V. Heyd.
 38. olivaceella, Sta.
 39. solitariella, Zell.
 40. lutipennella, Zell.
 41. badiipennella, F. v. R.
- X. ELACHISTIDÆ, Sta.
- I. BEDELLIA, Sta.
 1. somnulentella, Zell.
- II. STATHMOPODA, Zell.
 1. pedella, Lin.
- III. COSMOPTERYX, Sta.
 1. Drurella, Fab.
 2. Lienigiella, Zell.
- IV. BATRACHEDRA, Sta.
 1. præangusta, Haw.
 2. pinicolella, Zell.
- V. OINOPHILA, Step.
 1. V.-flava, Haw.
- VI. CHAULIODUS, Treit.
 1. insecurellus, Sta.
 2. Illigerellus, Hüb.
 3. Chærophyllellus, Goëze.
- VII. LAVERNA, Sta.
 1. propinquella, Sta.
 2. lacteella, Step.
 3. Staintoni, Sircom.
 4. Stephensi, Sta.
 5. Epilobiella, Schr.
 6. ochraceella, Curt.
 7. Phragmitella, Bent.
 8. decorella, Step.
 9. subbistrigella, Haw.
 10. atra, Haw.
 11. Rhamniella, Zell.
- VIII. CHRYSOCLISTA, Sta.
 1. Linneella, Clerck.
 2. bimaculella, Haw.
 3. Schrankella, Hüb.
 4. flavicaput, Haw.
- IX. HELIODINES, Sta.
 1. Roesella, Linn.
- X. ANYBIA, Sta.
 1. langiella, Hüb.
- XI. ASYCHNA, Sta.
 1. modestella, Dup.
 2. fuscociliella, Sta.
 3. æratella, Zell.
 4. terminella, Dale.
- XII. CHRYSOCORYS, Curt.
 1. festaliella, Hüb.
- XIII. ELACHISTA, Sta.
 1. Pfeifferella, Hüb.
 2. Treitschkiella, F. v. R.
 3. Gleichenella, Fab.
 4. Brunnichella, Linn.
 5. magnificella, Tengström.
 6. apicipunctella, Sta.
 7. albifrontella, Hüb.
 8. Holdenella, Edl.
 9. atricomella, Sta.
 10. luticomella, Zell.
 11. Kilmunella, Sta.
 12. alpinella, Edl.
 13. cinereopunctella, Haw.
 14. trapeziella, Sta.
 15. nigrella, Hüb.
 16. subnigrella, Dougl.
 17. occultella, Dougl.
 18. consortella, Sta.
 19. pulchella, Haw.
 20. Bedellella, Sircom.
 21. obscurella, Sta.
 22. Albinella, Sta.
 23. zonariella, Tengstr.
 24. gangabella, F. v. R.
 25. obliquella, Edl.

26. abruptella, Sta.
27. Megerrella, Sta.
28. adscitella, Sta.
29. cerusella, Hüb.
30. Rhynchosporella, Sta.
31. Eleochariella, Sta.
32. biatomella, Sta.
33. serricornis, Logan.
34. triatomea, Haw.
35. triseriatella, Sta.
36. collitella, F. v. R.
37. pollinariella, Zell.
38. rufocinerea, Haw.
39. ochreella, Sta.
40. cygnipennella, Hüb.

XIV. TISCHERIA, Zell.

1. complanella, Hüb.
2. marginea, Haw.

XI. LITHOCOLLETIDÆ, Sta.

I. LITHOCOLLETIS, Zell.

1. Roboris, Zell.
2. hortella, Fab.
3. Amyotella, Dup.
4. Lantanella, Schr.
5. triguttella, Sta.
6. quinqueguttella, Sta.
7. nigrescentella, Logan.
8. irradiella, Scott.
9. lautella, Zell.
10. pomifoliella, Zell.
11. Coryli, v. Nicelli.
12. spinicolella, Kollar.
13. Faginella, Mann.
14. salicicolella, Sircom.
15. viminetorum, Sta.
16. carpinicolella, Sta.
17. ulmifoliella, Hüb.
18. Spinolella, Dup.
19. quercifoliella, F. v. R.
20. Messaniella, Zell.
21. corylifoliella, Haw.
22. Caledoniella, Sta.
23. viminiella, Sircom.
24. Scopariella, Tischer.
25. ulicicolella, Vaughan.

26. alnifoliella, Hüb.
27. Heegeriella, Zell.
28. Cramerella, Fab.
29. tenella, Zell.
30. sylvella, Haw.
31. emberizæpennella, Bouché.
32. Frölichiella, Zell.
33. Dunningiella, Sta.
34. Nicellii, Zell.
35. Stettinensis, v. Nicelli.
36. Klemannella, Fab.
Kleemannella, Zell.
37. Schreberella, Fab.
38. tristrigella, Haw.
39. trifasciella, Haw.
40. Scabiosella, Dougl.
41. comparella, F. v. R.

XII. LYONETIDÆ, Sta.

I. LYONETIA, Hüb.

1. Clerckella, Linn.
2. padifoliella, Sta.

II. PHYLLOCNISTIS, Zell.

1. suffusella, Zell.
2. saligna, Zell.

III. CEMIOSTOMA, Zell.

1. spartifoliella, Hüb.
2. Laburnella, v. Heyd.
3. scitella, Zell.

IV. OPOSTEGA, Zell.

1. salaciella, Treit.
2. auritella, Hüb.
3. crepusculella, F. v. R.

V. BUCCULATRIX, Zell.

1. aurimaculella, Sta.
2. cidarella, Tischer.
3. Ulmella, Mann.
4. vetustella, Mann.

5. Cratægi, Zell.
6. Demaryella, Sta.
7. maritima, Sta.
8. Boyerella, Dup.
9. Frangutella, Goëze.
Frangulella, Zell.
10. Hippocastanella, Dup.
11. cristatella, F. v. R.

XIII. NEPTICULIDÆ, Sta.

I. NEPTICULA, Zell.

1. atricapitella, Haw.
2. ruficapitella, Haw.
3. anomalella, Goëze.
4. pygmæella, Haw.
5. Oxyacanthella, Sta.
6. viscerella, Dougl.
7. Catharticella, Sta.
8. Septembrella, Sta.
9. intimella, Zell.
10. Headleyella, Sta.
11. subbimaculella, Haw.
12. argyropeza, Zell.
13. apicella, Sta.
14. trimaculella, Haw.
15. quinquella, Bedell.
16. sericopeza, Zell.
17. floslactella, Haw.
18. Salicis, Sta.
19. microtheriella, Wing.
20. ignobilella, Sta.
21. argentipedella, Zell.
22. Acetosæ, Sta.
23. plagicolella, Sta.
24. Tityrella, Dougl.
25. Malella, Sta.
26. angulifasciella, Sta.
27. gratiosella, Sta.
28. marginicolella, Sta.
29. aurella, Fab.

II. TRIFURCULA, Zell.

1. atrifrontella, Sta.
2. squamatella, Sta.
3. immundella, Zell.
4. pulverosella, Sta.

Works by the Author, just Published.

INSECTA BRITANNICA: LEPIDOPTERA TINEINA.

Containing Descriptions of all the Species in this List, with Remarks on their Habits, and with Ten Plates of the Generic Characters, by W. WING. *Price 25s.*

REEVE & Co., Henrietta Street, Covent Garden.

THE ENTOMOLOGIST'S COMPANION.

(Second Edition, greatly enlarged).

Containing information where and when the Species enumerated in this List may be met with, with instructions how to catch them. *Price 3s.*

JOHN VAN VOORST, 1, Paternoster Row.

LIST OF THE
SPECIMENS OF BRITISH ANIMALS IN THE BRITISH MUSEUM.

Part 16 LEPIDOPTERA (TINEINA, PTEROPHORINA AND ALUCITINA).

Containing a Complete Synonymy of the Species enumerated in this List.

May be obtained at the Secretary's Office in the British Museum,
Or of MESSRS. LONGMAN & Co.; JOHN VAN VOORST; and other Booksellers.

Previous Works by the Author, published by Van Voorst.

AN ATTEMPT AT A SYSTEMATIC
CATALOGUE OF BRITISH TINEIDÆ AND PTEROPHORIDÆ.

Price 2s. 1849.

A SUPPLEMENTARY
CATALOGUE OF BRITISH TINEIDÆ AND PTEROPHORIDÆ.

Price 2s. 1851.

THE ENTOMOLOGIST'S COMPANION:

Being a Guide to the Collection of Micro-Lepidoptera, and comprising a Calendar of the British Tineidæ. *Price 3s. 1852.*

NOTE. — These last-named works have been rendered obsolete by the Author's recent publications, except in so far as they relate to the *Crambidæ* and *Pterophoridaæ*.

E. NEWMAN, PRINTER, 9, DEVONSHIRE ST., BISHOPSGATE, LONDON.